



## Active Call Recorder

### Recall every word, any time

Active Call Recorder is the newest generation of telephone recording solutions that use one of the most advanced telephone equipment all over the world. It is a scalable solution offers everything you can expect from a professional, affordable recording solution.

It is not only small, but also simple in installation, easy operational and steady. Active Call Recorder will quickly prove to be a valuable tool in your organization, with a high return on investment.

Active Call Recorder is compatible with all PBX major brands and can be used also with single line phones. Recordings can be played back, e-mailed, exported or copied to another PC. Advanced searches can be made to find a specific record or group of records.

Active Call Recorder can be used as standalone recording solution or as an Add-On module to Active Call Manager the proven call logging and accounting software. When used together it will add valuable functionality to give you full control on your phone system and maximize the return on your investment.





# Active Call Recorder

## Features

### - Multi Channel

Record calls from extensions or trunks, PCI recording board is available in 4/8/16 port. Total of 128 channels can be recorded at the same time using a single PC. The USB recording box is available in 4/8/16 port, one PC can connect 1 USB recording box (Max. 16 channels)

### - Digital

Fully digital mode for recording and playback, hi-fi appearance of the original sound. Stores 175 hours of conversation per GB free disk space on the PC.

### - Schedule Selective Recording

By default all incoming and outgoing calls on all trunks will be recorded, for each trunk you can set starting and stopping record time as you wish during the 24 hours. When used with Active Call Manager you can selectively record or ignore particular records of your choice like; calls to/from specific number(s) or extensions, called destination (Int./Local/Mobile), calls of particular duration, etc.

### - Multi Record Mode

There are three record modes to choose from: voltage, voice and manual control.

Voltage: Start recording when the telephone is picked up and finish when hung up.

Voice: Start recording when there is sound signal in the line, such as interphone and so on.

Manual: Start and finish recording by the caller through keystroke.

### - Real-Time Talk Monitor

The ongoing calls on any extension or trunk can be listened in real time to hear the conversation using the PC audio card of a local or network computer.

### - Network Function

Management of the equipment, search and playback of the records can be done through server and client.



4/8/16 Port – USB Box



4/8/16 Port – PCI Board



# Active Call Recorder

## - Data Management & Security

Recording data can be saved in WAV/MP3 format on local PC or on a network location, cycling record according to the designated record space and automatic deletion of the earliest records.

The recording data backup is fully automated and records can be exported to e-mail, CD, etc. Password management and multi level user right make searching/playback recording data limited to the authorized personnel's.



## Technical Specifications

- Impedance: high impedance >100K ohm
- Signal-to-Noise: 50dB
- Frequency response: 300Hz to 3400Hz
- Digital mode: GSM
- Collection speed: 12.5Kbit / 1s compression ratio is 5
- Average search path: 39MS
- Power consumption: 300W MAX
- Celsius: +5 to +40
- Humidity: 5% to 85%

## Hardware Requirements

- Operating System: Windows98/ME/2000/XP/2003/Vista/7
- CPU: Intel Celeron 800 or above
- Hard Disk: Min, Capacity 20G
- Memory: Min. 1 GB

